Name	Color	Ripening Time	Attributes	Notes
Apples	Color	Ripening Time	Attributes	Notes
Akane	Red	Early September	Scab Resistant	
Amere De Berthcourt	Greenish-white w/ pink blush	October	Cider	
Ashmead's Kernel	Brown russet	Early-Mid October	Triploid, Scab resistant, Antique	
Beni Shogun Fuji	Red	Mid-Late September	Early Fuji Apple	Crisp, juicy very sweet
Bramley's Seedling	Green and red	Early October	Triploid, English cooking apple, scab resistant	M-111
Brown Snout	Brown Russet	October	Cider	
Centennial	Bright Orange- Red	Mid August	Crab, Scab Resistant	Excellent pollinator
Chehalis	Yellow	Mid-Late September	Scab Resistant	
Cosmic Crisp	Red	Mid-Late September	Scab Resistant	Keeps well
Cox's Orange Pippin	Red w/ Orange Flush	Mid September		
Dolgo	Crimson Red	September	Crab, 1 1/2" long, very disease resistant	Siberian variety
Early Pink Lady (Maslin)	Yellow w/ Pink Blush	Late September		
Fameuse (Snow)	Orange Red	Mid-Late September	Bright white flesh, Antique	M-111
Gold Sentinel	Yellow	Early-Mid October	Columnar	
Gravenstein	Red and Green	Early-Mid October	Triploid, Antique	
Honeycrisp	Red	Early-Mid October	Scab Resistant	
Hudson's Golden Gem	Yellowish Brown Russet	Mid September	Scab Resistant, Antique	M-111
Jonagold	Yellow Green w/ Red Stripes	Mid September - Late October	Triploid	
Karmijn de Sonnaville	Red Orange	Early-Mid October	4 YO, Triploid, Antique	
King	Red Stripe	Early-Mid October	Triploid, Antique	
Kingston Black	Red	Mid October	Cider	Sweet, sharp and bitter. Excellent for Cider.
Liberty	Dark Red	Early-Mid October	Scab resistant. MD is 3YO, McIntosh Type	
Macoun	Dark Purple Red Blush over Green	Late September-Early October	McIntosh type	Best for fresh eating
Medaille D'Or	Yellow Russetted	October	Cider Apple	
Melrose	Red	Mid-Late October		Keeps well
Northpole	Red	Mid-Late September	Columnar	
Pink Pearl	Yellow	Late September	Bright Pink Flesh	
RedLove Calypso	Red w/red flesh	Early October	Scab/Powdery Mildew Resistant	M-7 Rootstock

Name	Color	Ripening Time	Attributes	Notes
RedLove Era	Red w/red flesh	Mid September	Disease Resistant	M-7 Rootstock
RedLove Odysso	Red w/red flesh	Late September/Early October	Scab/Powdery Mildew Resistant	M-7 Rootstock
Scarlet Sentinel	Greenish Yellow	Mid-Late September	Columnar	Disease resistant
Spartan	Dark Red	Mid October	Scab resistant, McIntosh Type	
Spitzenburg	Yellow/Blush Red	Mid-Late October		American variety, Fresh Eating, Keeps well, M-111
Summerred	Red	Early August	Macintosh type	
Sunrise Magic	Red	Mid October	NEW!	
Williams Pride	Red	Early August	Scab resistant	Sweet, rich, spicy flavor.
Yellow Transparent	Yellow	Early August	Scab resistant, Antique	

Key: SD=Semi Dwarf, D=Dwarf, MD=Mini-dwarf, BR=Bare Root, P=Potted (Trees and pricing are for SD, unless otherwise indicated.)

Root Stock: All trees are semi-dwarf root stock (unless otherwise noted). Semi-dwarf root stock (mm-106) grows between 14-18' tall and wide. Space 20' apart. Semi-dwarf rootstock (M-111) grows 15-25' tall. Dwarf root stock (M-26) grows12-16' tall. Mini-dwarf (M27) grows 6-8 ft tall.

Triploid: Does not pollinate other trees

Apricots	Color	Ripening Time	Attributes	Notes
Bongo	Yellow-Orange	June-July		
Harcot	Yellow-Orange	July - August	Self fertile Resistance to perennial canker and brown rot,	Freestone
Harglow	Deep orange w/ red blush	August	Self fertile. Resistance to perennial canker and brown rot.	Freestone
Puget Gold	Orange	Early August	Self fertile	Freestone
Apriums	Color	Ripening Time	Attributes	Notes
Flavor Delight	Bright Yellow	Mid-July	Self fertile, does better with "friends"	Semi-freestone
Aronia Berries (Black Chokeberries)	Color	Ripening Time	Attributes	Notes
Autumn Magic	Black	September	Self-fertile.	Great Fall color for landscape plantings
Dwarf	Black	September		About 3' high
Iroquois Beauty	Black	September		2-3' high 4-5' wide
Lowscape Hedger	Black	n/a	Non suckering, bears little to no fruit	5' high by 3' wide

Name	Color	Ripening Time	Attributes	Notes
Lowscape Mound	Black	September		24" by 24"
Nero	Black	September	Fall color	3-4' x 3-4'
Viking	Black	Late-August - Mid- September	Self-fertile	3-6' x 3-6'
Autumn Olives	Color	Ripening Time	Attributes	Notes
Amber	Golden Yellow	September	Self fertile	Disease/pest resistant
Garnet	Reddish Bronze	Late-September	Self fertile	Disease/pest resistant
Ruby	Brilliant Red	Late-September	Self fertile	Disease/pest resistant
Blackberries	Color	Ripening Time	Attributes	Notes
Baby Cakes	Black		Thornless, Dwarf	Bushel & Berry, Perfect for patio pots
Black Satin	Deep Blue	July	Thornless	Doesn't produce suckers
Boysenberry	Dark Maroon	July and September	Thornless	
Columbia Star	Black	July	Thornless	requires trellising
Columbia Sunrise	Black	Late June-July	Thornless	requires trellising
Marionberry	Black	June - July		Cross between Chehalem and Ollalie
Prime Ark Traveler	Black	July to frost	Thornless	Primocane
Tayberry	Maroon	June - July		Cross between loganberry and black raspberry, requires trellising
Chester	Black	Mid-August - Mid- September	Thornless	
Lochness	Black	August	Thornless	
Loganberry	Dark Red	Mid-July - Mid-August	Thornless	
Triple Crown	Black	August	Thornless	
Austin Dewberry	Black	May to June		
Blueberries	Color	Ripening Time	Attributes	Notes
Blueberry Glaze	Deep Blue almost black	July	Lowbush, High in antioxidants	Bushel & Berry
Bluecrop	Blue	July - August	Highbush Blueberry	
Bluegold	Blue	Late-June - Early-July	Highbush Blueberry	4-6'
Bluejay	Blue	July	Northern Highbush	
Blueray	Blue	July	Northern Highbush	
Bonus	Blue	July-August	Northern Highbush	Very large berries
Bountiful Blue	Blue	September	Southern Highbush Blueberry	Bushel & Berry, Semi-Evergreen in mild climates, Blue foliage

Name	Color	Ripening Time	Attributes	Notes
Burlington	Light Blue	July	Highbush Blueberry	
Cabernet Splash	Blue	June - July	3-4' x 3-4'	Foliage interest througout season
Chandler	Blue	September	Highbush Blueberry, Largest Berry	
Chippewa	Light Blue	July	Lowbush	
Collins	Light Blue	July - August	Highbush Blueberry	
Darrow	Blue	September	Northern Highbush, Largest Berry	
Duke	Light Blue	Late- May	Northern Highbush	
Earliblue	Light Blue	June-July	Northern Highbush	
Eberhardt	Blue	Late-July	Northern Highbush	
Elliott	Blue	July-August	Highbush Blueberry	
Hardiblue	Blue	July	Northern Highbush	
Jersey	Blue	July - August	Northern Highbush	
Nelson	Medium Blue	July	Northern Highbush	
Nocturne	Dark Black	Mid-July	Hybrid	
Northblue	Dark Blue	July	Half-High	
Northcountry	Blue	July	Half-High	
Northland	Medium Blue	June-July	Northern Highbush	
O'neal	Blue	June	Southern Highbush	
Olympia	Medium Blue	Late July	Northern Highbush	
Patriot	Medium Blue	June- July	Northern Highbush	
Pink Lemonade	Bright Pink	July-August	Pink Berry	
Pink Popcorn	Cream Pink to Pink	June-July	Pink Berry, Northern Highbush	
Polaris	Light Blue	June-July	Lowbush	
Reka	Dark Blue	July	Northern Highbush	
Spartan	Light Blue	June - July	Northern Highbush	
Stanley	Medium Blue	July-August	Heirloom Highbush	
Sunshine Blue	Blue	June - July	Southern Highbush	Bushel and Berry
Sweetheart	Blue	Early June & August	Highbush	Two crops
Tophat	Light Blue	June - July	Lowbush	
Toro	Light Blue	July	Northern Highbush	Large Berries
Cherries	Color	Ripening Time	Attributes	Notes
Angela	Black	Mid-July	Self Fertile, resists cracking	Sweet
Bing	Black	Early-July	Pollinators: Rainier, Stella, Montmorency	Sweet
Glacier	Dark Red	Mid-June	Self Fertile	Sweet
Lapins	Red	Late-July	Self Fertile	Sweet
Rainier	Yellow w/ Red Blush	Late-May Early-June	Pollinators: Bing, Stella, Montmorency	Sweet

Name	Color	Ripening Time	Attributes	Notes
Stella	Reddish Black	Mid-June	Self Fertile, resists splitting	Sweet
Sweetheart	Bright Red	Late-July	Self Fertile	Sweet
Vandelay	Black	July	Self Fertile, resists cracking and canker	Pie
Carmine Jewel	Dark Red	July		Pie
Montmorency	Bright Red	Mid-Late July	Self Fertile but will not pollinate sweet cherries	Pie
Morello	Deep Crimson Red	August	Self Fertile	Pie
North Star	Red	Mid-June	Self Fertile	Pie
Surefire	Fire Engine Red	August	Self Fertile	Pie
Juliet	Deep Red	August	Self Fertile	Bush
Romeo	Crimson Red	August	Self Fertile	Bush

Key: SD=Semi Dwarf, D=Dwarf, MD=Mini-dwarf, BR=Bare Root, P=Potted (Trees and pricing are for SD, unless otherwise indicated.)

Combination Fruit Trees	Color	Ripening Time	Attributes	Notes
Apple			4-way	
Apple			4-way	
Cherry			4-way	Royal Ann, Stella, Rainier, Van
Fruit Cocktail			4-way	
Fruit Salad			4-way	Frost Peach, Nadia Plum, Green Gage Plum, Hardy Red Nectarine
Peach			4-way	Salish Summer, Frost, Muir, Indian Free
Pear (Asian)			4-way	
Pear (European)			4-way	Flemish, Rescue, Bartlett, Red Bartlet
Plum			4-way	Brooks, Yellow Egg Stanley, Green Gage

Key: SD=Semi Dwarf, D=Dwarf, MD=Mini-dwarf, BR=Bare Root, P=Potted (Trees and pricing are for SD, unless otherwise indicated.)

Currants	Color	Ripening Time	Attributes	Notes
Black September	Black	July		
Blackdown	Black	July		
Champagne	Pink	Late September	Less Tart	
Cherry Red	Red	July	Pest/Disease Resistant	
Consort	Black	June-July	Tolerates shade	

Name	Color	Ripening Time	Attributes	Notes
Crandall	Black	August	Fragrant Flowers	Also called "Clove Currant"
Gloire Des Sablons	Pink	July		
Heros	Red	July		
Red Jade	Red	July		
Red Lake	Red	Mid July		
Rovada	Red	July-August		Dutch variety
Seabrook	Black	May-June		
Swedish White	White	Mid July		
Wilder	Red	July		
Bar-Le-Duc	White	June-July		French variety
Primus	White	June-July		
White Cherry	White	March-April		
White Imperial	White	June-July		
White Pearl	White	July		
White Transparent	White	July	Pest/Disease Resistant	
Zitavia	White	July		
Elderberries	Color	Ripening Time	Attributes	Notes
Adams	Dark Purple to Black	August	American	
Bob Gordon	Dark Purple to Black	September	American	
Haschberg	Bluish Black	September	European	
Nova	Dark Purple to Black	August-September	American	
Ranch	Dark Purple to Black	September	American	
York	Dark Purple to Black	September	American	
Espalier Fruit Trees	Color	Ripening Time	Attributes	Notes
Apple (Espaliered)	Varies		3-way	BR - Akane, Liberty, Honeycrisp
Pear			European Pear	3-Tier 2-Tier
Pear			Asian Pear	3-Tier 2-Tier
T=Tier				
Figs	Color	Ripening Time	Attributes	Notes

Name	Color	Ripening Time	Attributes	Notes
Chicago Hardy	Dark Mahogany w/pink flesh	July through Frost		
Desert King	Yellow w/light strawberry flesh	Late July-Early August		Most productive
Lattarulla	Greenish yellow w/ amber flesh	July and September		AKA Italian Honey Fig
Little Miss Figgy	Dark purple w/strawberry flesh	Late July-Early August		Dwarf 4-6'
Little Ruby	Reddish brown w/ruby center	Late July-Early October		
Negronne	Nearly black w/ dark red flesh	Late July-Early August		Good for containers AKA Violette du Bordeaux
Neverella	Brown w/opalescent flesh	Late July-Early August		AKA Osborne Prolific
Olympian	Green/purple striped w/violet flesh	July and September		Needs at least 8 hours of sun
Panache	Green and yellow stripes w/strawberry flesh	August-September	"Tiger Fig"	
Peter's Honey	Yellow green w/dark amber flesh	Late July-Early August		
Petite Negra	Black w/deep red flesh	Late July-Early August	Dwarf 3-4' tall	
Silver Lyre	N/A	Early August-October	Mostly grown for ornamental use-fruit not the tastiest	Some websites say edible, but without actually tasting the figs
Stella	Green w/purplish red flesh	Late July-Early August		
Vern's Brown Turkey	Dark brown w/light amber flesh	Late July-Early August		
Goji Berries	Color	Ripening Time	Attributes	Notes
Black Goji	Black	August to October	self-fertile	Fresh eating, dried, tea
Crimson Star	Bright Red	August to October	self-fertile	Chinese variety
Firecracker	Bright Orange- Red	August to October	self-fertile	Thornless
Goji Berry (no variety)	Bright Orange- Red	August to October	self-fertile	
Gooseberries	Color	Ripening Time	Attributes	Notes
Black Josta Currant/Gooseberry	Black	July		
Black Velvet Gooseberry	Dark Red	June-July		

Name	Color	Ripening Time	Attributes	Notes
Captivator Gooseberry	Red	June-July		
Hinnomaki Red Gooseberry	Red	July		Finland variety
Hinnomaki Yellow Gooseberry	Yellow	July		
Jewel Gooseberry	Peach	July		Polish variety
Josta Currant/Gooseberry	Black	July		
Jostine Black Currant/Gooseberry	Black	July		Thornless
Pixwell Gooseberry	Pink	June-July		Nearly thornless
Red George Gooseberry	Dark Red	July		
Red Jostaberry Red Currant/Gooseberry	Dark Red	July		
Shefford Gooseberry	Green	June-July		
Welcome Gooseberry	Red	July		Nearly thornless
*FP = Fiber Pot				
Goumis	Color	Ripening Time	Attributes	Notes
Red Gem	Red	July		
Sweet Scarlet	Red	July		
Grapes	Color	Ripening Time	Attributes	Notes
Boskoop Glory	Black	August-September	Seedless	
Buffalo Black	Blue/Black	September	Seeded	Concord type
Campbell's Early Blue	Blue/Black	August	Seeded	Concord type
Canadice	Red	Mid-August	Seedless	
Crimson Glory Vine	Blue/Black	September	Seeded/Non- Edible/EXCELLENT Fall Color	Ornamental-Fruit is not meant to be eaten
Einset	Dark Red	September	Seedless	
Himrod White	Yellow	Early to mid Sep	Seedless	
Interlaken	Green	September	Seedless	
Jupiter	Reddish Blue	August	Seedless	
Kay Gray	Green	Mid-August	Seedless	
Lakemont	White	Late August	Seedless	small and sweet
Lynden Blue	Dark Blue	Early October	Seeded	
Marquette	Deep Purple			Red Wine Grape
Neptune	Green/White	Early September	Seedless	
Pinot Meunier	Purple/Black	July-August	Wine grape	Chardonnay Champagne type
Reliance	Red	August	Seedless	
Remaily	Green	Mid August-Sept	Seedless	

Name	Color	Ripening Time	Attributes	Notes
Schuyler Blue	Blue/Black	August	Seeded	Concord type
Suffolk Red	Bright Red	Mid to late September	Seedless	
Van Buren Blue	Blue/Black	August	Seeded	Concord type
Vanessa Red	Deep Red	Mid Sep to Oct	Seedless	
Honeyberries/Sweet berry Honeysuckle	Color	Ripening Time	Attributes	Notes
Blue Forest	Dark Blue	June		2-3' x 2-3'
Blue Hokkaido	Dark Blue	June	late blooming	4-5'
Blue Moon	Dark Blue	June		3-4' x 3-4'
Blue Pacific	Dark Blue	June		2-3'
Blue Pagoda	Dark Blue	June	late blooming	4-5'
Blue Velvet	Medium Blue	June		4-5' x 4-5'
Borealis	Blue	May-June		3-5' x 3-5'
Cinderella	Blue	May-June	Extremely vigorous	3-4' x 3-4'
Haskap	Blue	June	Straight genus and species, no variety	4-6'
Honey Bee	Blue	May-June		Pollinates Borealis, etc. 4-6' x 3-5'
Indigo Gem	Blue	May-June		4-6' x 3-4'
Sinoglaska	Violet Blue	June		
Sugar Mountain	Dark Blue	June-July		AKA Yazberry 5-6' x 5-6'
Tundra	Blue	Late May-Early June		4-6' x 4-6'
Wojtek	Blue	Mid June-Mid July		
Kiwis	Color	Ripening Time	Attributes	Notes
Ananasnaya	Green	September - October	Female/Hardy	AKA Pineapple Kiwi
Sweet N Solo	Brown/Green	Fall	Self Fertile/Fuzzy	
Tomuri/Tomura	n/a	n/a	Male/Fuzzy	Can pollinate up to 8 female plants
Saanichton	Brown/Green	October - Early November	Female/Fuzzy	Requires pollinator - Matua
MALE Fuzzy	n/a	n/a	Male/Fuzzy	pollinates up to 8 females
MALE Hardy	n/a	n/a	Male/Hardy	pollinates up to 8 females
Matua	n/a	n/a	Male/Fuzzy	Pollinates Saanichton
Hayward	Brown/Green	October-Early November	Female/Fuzzy	New Zealand variety
Issai	Green	September - October	Self Fertile/Hardy	Will produce better with Flowercloud Male Kiwi
Jenny	Brown/Green	Late Summer, Early Fall	Female/Fuzzy Self Fertile	

Name	Color	Ripening Time	Attributes	Notes
Kiwi Magic	Brown/Green	Late Fall	Self Fertile/Hardy	Male/Female on same plant
Ken's Red	Reddish/Purple	September - October	Female/Hardy	Requires male pollinator
Geneva	Green	September - October	Female/Hardy	Requires male pollinator
Hardy Red	Cranberry Red w/ red flesh	September - October	Female/Hardy	Requires male pollinator
Rossana	Green	September - October	Female/Hardy	Requires male pollinator
Arctic Beauty	N/A	N/A	Male/Hardy	Pink and white variegated leaves
Frost Arctic Beauty	Green	August - September	Female/Hardy	Pink and white variegated leaves
Pasha Arctic Beauty	N/A	N/A	Male/Hardy	Pink and white variegated leaves
Prolific	Green	September - October	Self Fertile/Hardy	Will produce better with Male Kiwi
Saanichton	Brown/Green	October-Early November	Female/Fuzzy Self Fertile	Requires male pollinator
Nectarines	Color	Ripening Time	Attributes	Notes
Hardy Red	Yellow with red blush	Early August	Attilibution	110100
Harko	Yellow with red blush	Early July	Self-fertile	Canadian variety
Nectar Babe	Yellow	July	Yellow freestone with sweet, rich, delicious flavor.	Pollenized by Honey Babe or other peach or nectarine. Miniature
Necta Zee	Red	June	Sweet, very flavorful yellow freestone, beautiful red skin.	Miniature
Nectoniumo	Color	Dinanina Tima	Attributes	Notes
Nectaplums Spice Zee	Pale Pink	Ripening Time July-August	Self-fertile, good fresh eating	Nectarine-Peach- Plum hybrid, Miniature
Nuts	Color	Ripening Time	Attributes	Notes
Epsilon Filbert	Brown	September	Eastern Filbert Blight resistant cultivar	Plant with Eta or Theta for cross- pollination. Incompatible pollenizer for Barcelona, Ennis, and Willamette, but great for all other varieties. Bearing Age: 2-3 years after planting.

Name	Color	Ripening Time	Attributes	Notes
Jefferson Filbert	Brown	September	Eastern Filbert Blight resistant cultivar	Plant with Theta or Eta for cross-pollination.
Sacajawea Filbert	Brown	September	Somewhat less resistant to Eastern Filbert Blight.	Plant with Yamhill for pollination.
Theta Filbert	Brown	September	Immunity to Filbert Blight.	Plant with Jefferson or Eta for cross-pollination.
Yamhill Filbert	Brown	September	Total resistance to Eastern Filbert Blight	Plant with Jefferson or Gamma for crosspollination.
York Filbert	Brown	September	Eastern Filbert Blight resistant cultivar	Plant with Jefferson for cross-pollination. An excellent pollinator for McDonald, Wepster, Yamhill, Dorris and Sacajawea.
Carpathian Walnut	Green	October	English walnut	Plant two together or one Carpathian with another walnut for pollination
Cascade Walnut	Green	Mid October	English walnut	
Manregion Walnut	Green	October	English walnut, easy to crack shell	Plant with Carpathian for pollination
Colossal Seedling Chestnut	Golden brown/spiny	Late September	Hybrid Japanese and European Chestnut	Plant two for pollination
Olives	Color	Ripening Time	Attributes	Notes
Arbequina	Dark Brown	October	Self-fertile; bigger crop with another variety	Spanish variety/35- 40' x 25'
Haas Improved Manzanillo	Green to Black	October-November	Good pollinator- Frantoio	Smaller pits, Spanish variety/15- 20'x10-15'
Harvest Joy	Green	October-November	Plant with another variety	Ukrainian variety/8-10'
Leccino	Brown	October	Good pollinator- Arbequina	Italian variety, semi- weeping form/12-15'
Little Ollie	n/a	n/a	Dwarf, ornamental	NON-FRUITING/4- 6'x4-6'/AKA Montra
Majestic Beauty	n/a	n/a	Ornamental only	NON-FRUITING/25- 30'x25'
Manzanillo	Green to Black	October-November	Good pollinator- Frantoio	8-10'
Nikita Jubilee	Green to Black	October	Plant with another variety	10-20'
Perpetua	Green to Black	October	Plant with another variety	Ukrainian variety/10- 20'

Name	Color	Ripening Time	Attributes	Notes
Premier	Green to Black	October-November	Plant with another variety	Ukrainian variety/8-10'
Seascape	Green to Black	October-November	Plant with another variety	Ukrainian variety/8- 10'
Universal	Green to Black	October-November	Plant with another variety	Ukrainian variety/12- 15'
PawPaws	Color	Ripening Time	Attributes	Notes
Mango	Greenish yellow w/orange yellow flesh	September-October	Slow growing, long tropical looking foliage	Plant two varieties for pollination
Prolific	Greenish yellow w/orange yellow flesh	September-October	Slow growing, long tropical looking foliage	Plant two varieties for pollination
Sunflower	Greenish yellow w/orange yellow flesh	September-October		Plant two varieties for pollination
D		D	A (C. M.)	N. d
Peaches	Color	Ripening Time	Attributes	Notes
Bonanza	Yellow w/red blush, yellow flesh	June	Dwarf (Miniature)	Freestone
Charlotte	Orange red	Mid to late August		Semi-freestone
Eldorado	Yellow w/red blush, yellow flesh	Late May to mid June	Dwarf (Miniature)	Freestone
Flory	Yellow w/red blush, white flesh	Mid to Late July	Self-Fertile/Miniature	
Frost	Yellow w/red blush, yellow flesh	Mid to late August	Self-fertile	Freestone
Honey Babe	Yellow	Early to mid July	Dwarf (Miniature)	Better production with pollenizer, freestone
Indian Free	White	August to September	Curl Resistant	
Muir	Yellow	July to August	Curl Resistant	
Salish Summer (WSU Q-1-8)	White Flesh	Late July to Early August	Curl Resistant	
Snow Babe	Yellow w/red blush, white flesh	Late July to Early August	Self-Fertile/Miniature	New for 2020-2021
Pears	Color	Ripening Time	Attributes	Notes
Chojuro	Russeted Golden Brown	August	Plant with Hosui, Shinko	Asian
Kosui	Russeted slight bronze	Mid July-Early August	Resistant to fire blight/plant with another asian variety	Asian
Nijisseiki	Russeted Golden Brown	August	Plant with Shinseiki, Bartlett, etc.	Asian/AKA 20th Century
Shinko	Golden Brown	Late September	Plant with another asian variety	Asian

Name	Color	Ripening Time	Attributes	Notes
Shinseiki	Bright yellow	July to August		Asian/AKA New Century
Maxie	Red and yellow	Mid September	Cross between Nijisseiki and Red Bartlett	Eurasian
Anjou	Dark Maroon	Late September	AKA D'anjou	European/Egg shaped
Bartlett	Russeted Green	August	AKA Williams	European
Bosc	Russeted Dark Yellow	Late September	Fresh eating, baking or drying	European/AKA Kaiser
Comice	Yellow w/trace of red	Early October		European
Conference	Golden Brown	Early October		European
Flemish Beauty	Yellow skin w/Red Blush	Early September		European
Harrow Delight	Yellow w/red blush	July-August	Fireblight and scab resistant	European/OHxF 333
Orcas	Yellow w/ Carmine Blush	Early September	Great for canning, drying, eating fresh	European
Red Clapp's	Reddish Purple	Late August-Early September	Pollinate with Bosc	European/AKA Kalle Red
Rescue	Yellow w/ Bright Red-Orange Blush	September	Scab resistant. Good keeper.	European
Persimmons	Color	Ripening Time	Attributes	Notes
Fire Crystal	Bright Orange	October-November	Round	Astringent
Fuyu Imoto	Bright Orange	October-November	Square/flattened	Non-astringent
Fuyu Jiro	Deep Red-Orange	October-November	Medium/flattened	Non-astringent
Giant Fuyu	Bright Orange	October-November	Larger/rounder	Non-astringent
Izu	Bright Orange	September-October	Med/Lg Round	Non-astringent
MALE (American)	N/A	N/A	N/A	Use to pollinate American female varieties
Nikita's Gift	Red-Orange	Mid-Late October	Flattish	Astringent/Hybrid
Nishimura Wase	Bright Orange	Partially self-fertile; plant with another variety for pollination	Med/Lg Round	AKA Coffeecake Persimmon/Non- astringent
Saijo	Bright Orange	September-October	Conical	Astringent
Tanenashi	Red-Orange	September-October	Conical	Astringent
Plums	Color	Ripening Time	Attributes	Notes
Blue Damson	Blue	September	Fresh eating, jams, jelly, prunes; more tart than sweet	European/plant with another European for pollination
Brooks	Dark Purple	September	Fresh eating, preserves, canning or drying	European

Name	Color	Ripening Time	Attributes	Notes
Green Gage	Yellowish Green	August	Fresh eating, baking, preserves, canning	European
Imperial Epeneuse	Reddish Purple	Mid-September	Fresh eating and drying	European
Italian	Purple	August-September	Fresh eating, dried, canned	European/freestone
Nadia Cherry/Plum	Dark Red	August-September	Fresh eating, baking, preserves	European/pollinate with Beauty, Methley, Hollywood
Seneca	Bluish Red	September	Fresh eating, preserves; resists cracking and brown rot	European
Stanley	Deep Purple	Early September	Fresh eating, dried, canned	European; also a prune/plum
Yellow Egg	Golden Yellow	August	Cooking/fresh eating when fully ripe	European
Beauty	Red over yellow	June-August	Fresh eating, cooking	Japanese
Hollywood	Dark Red	August	Jellies and canning	Japanese; pollinate with another Japanese
Methley	Red-Purple	May-Early July	Fresh eating or jelly	Japanese
Shiro	Bright Yellow	August	Fresh eating, jams, wine	Japanese/Partially self-fertile
Weeping Santa Rosa	Dark Red	Late July-August	Fresh eating, baking, preserves	Japanese
Plumcots/Pluots	Color	Ripening Time	Attributes	Notes
Dapple Dandy	Yellowish w/ red mottling	July-August	Fresh eating	AKA Dinosaur Egg
Flavor Supreme	Greenish-maroon mottled	June-July	Fresh eating	
Pomegranates	Color	Ripening Time	Attributes	Notes
Angel Red	Vivid Red	August-September	Seeds soft enough to eat fresh	
Crimson Sky	Bright Red	July-September		
Favorite	Orange-Red	Late Fall	Pest/Disease resistant, self-fertile	Russian variety
Haku Botan	Greenish White	August-September		Double White Flower
Mardi Gras	n/a	n/a	Ornamental/does not produce fruit	Double Red Flower
Nochi Shibari	n/a	n/a	Ornamental/does not produce fruit	Double Orange Flower
Nana (Dwarf)	Bright Orange Red	Ornamental	Dwarf size 2-4', deer resistant,	Fruits edible yet too sour to be considered palatable

Name	Color	Ripening Time	Attributes	Notes
Wonderful	Red	August-September	Finest quality, largest, brightest colored	
Quinces - Fruiting	Color	Ripening Time	Attributes	Notes
Orange	Bright Yellow	September	Self-fertile	Preserves and baking
Pineapple	Bright Yellow	September-October	Self-fertile	Preserves and baking/Pineapple flavored
Smyrna	Bright Yellow	September	Self-fertile	Preserves and baking
Doonhorring	Color	Dinaning Time	Attributoo	Notes
Raspberries		Ripening Time	Attributes	
Boyne	Reddish Pink	Mid-July	Does not need trellis	Not as sweet as others; good for lambic ale
Canby	Reddish Pink	June bearing	Heavy producer of large berries	Fresh eating, preserves, freezing
Cascade Delight	Reddish Pink	Everbearing	Most root rot resistant variety/can take boggy soils	Nearly thornless
Chilcotin	Bright Red	Junebearing		Fresh eating, canning
Latham	Bright Red	Junebearing		Fresh eating, freezing, canning
Meeker	Dark Red	Mid-July	Do not require staking	Fresh eating, juicing canning, freezing
Tulameen	Vivid Red	Junebearing	25% bigger than Meeker	Fresh eating, freezing, preserves
Willamette	Dark Red	Junebearing	Extremely large fruits; very juicy	Fresh eating, freezing
Amity	Dark Red	Everbearing	No staking required	Fresh eating, canning
Caroline	Bright Red	Everbearing	Does not tolerate drought	Fresh eating, preserves, freezing
Fall Gold	Pale Yellow	Everbearing		Fresh eating, baking, preserves
Heritage	Dark Red	Everbearing	No staking required	Fresh eating, canning, freezing
Jewel	Black	Early July	Black Cap variety	Fresh eating, baking, preserves
Munger	Black	August	Black Cap variety	Fresh eating, jams, jellies
Raspberry Shortcake	Light Red	June-July	Thornless/no staking required/great for containers	Bushel & Berry
Seaberries/Sea Buckthorns	Color	Ripening Time	Attributes	Notes

Name	Color	Ripening Time	Attributes	Notes
Askola	Deep Orange	Late August	Female	Good for juicing
Frugana	Bright Orange- Red	August	Female	
Leikora	Bright Orange	Late August-Early September	Female	Juicing, preserves
MALE Seaberry	n/a	n/a	Does not produce fruit	Pollinates up to 8 females
Titan	Bright Orange	Late July-Early August	Female	
Strawberries	Color	Ripening Time	Attributes	Notes
Albion	Red	August-September		Everbearing
Benton	Red	June		Junebearing
Hood	Red	June		Junebearing
Mary's Peak	Red	June		Junebearing
Puget Reliance	Red	June		Junebearing
Rainier	Red	June		Junebearing
Seascape	Red	June-October		Everbearing
Shuksan	Red	June		Junebearing
Unusual Fruits	Color	Ripening Time	Attributes	Notes
Autumn Beauty Jujube	Reddish brown	October	Partially self-fertile; plant with another variety for pollination	Spicy, apple like flavor
Chico Jujube	Red and Green	October	Partially self-fertile; plant with another variety for pollination	
Confetti Jujube	Golden Brown	October	Partially self-fertile; plant with another variety for pollination	
Lang Jujube	Golden Brown	October	Partially self-fertile; plant with another variety for pollination	Fresh eating, dried or candied
Li Jujube	Mahogany Brown	October	Partially self-fertile; plant with another variety for pollination	Very large fruit, very small seed
Winter Delight Jujube	Large, egg shaped, brown and green	October	Partially self-fertile; plant with another variety for pollination	Contorted branching
Baby Shipova	Yellow-Orange	October	Self-fertile	10'-15'
Ivan's Beauty Mt. Ash	Reddish Purple	September-October	Partially self-fertile; plant with Ivan's Belle	Aronia crossed with Mountain Ash
Ivan's Belle Mt. Ash	Wine Red	September-October	Partially self-fertile; plant with Ivan's Beauty	Hawthorne crossed with Mountain Ash
Shipova Mt. Ash	Yellow-Orange	August-September	Self-fertile	Hybrid of Mountain Ash and Pear/Fresh eating, preserves, jam, pastry, wine

Name	Color	Ripening Time	Attributes	Notes
5	Pink-red turning purple-black	July-August	Self-fertile	
Royal Medlar	Dark, Nut Brown	Mid-Late October	Self-fertile	
Texas Star Mayhaw	Bright Red	June-July	Partially self-fertile; plant with another variety for pollination	Fresh eating, preserves, condiments, wine
Passionflower Maypop	Greenish Yellow	Late Fall	Self-fertile	Very hardy Z4-10
Pakistan Mulberry	Reddish Black	July-September	Self-fertile	Largest mulberry fruit in the world
Tea's Weeping Mulberry	Reddish Black	June-July	Self-fertile	
White Mulberry	Pink-red turning purple-black	July-August	Self-fertile	
White Mulberry Dwarf	Pink-red turning purple-black	July-August	Self-fertile	
Sansho Japanese Pepper	Black	October-December	Pollinate with Sechuan Pepper for peppercorns	Leaves are used as spice for flavoring rice dishes, etc.
Eastern Prince Schisandra	Crimson	September	Self-fertile	Juicing, preserves, tea
Chilean Guava	Red	October	Self-fertile	Fresh eating, jams, jellies
Spineless Caper	Green	July	Self-fertile	Thornless
Vaccinium Berries	Color	Ripening Time	Attributes	Notes
Himalayan Whortleberry	Dark Blue	July	Self-fertile	
Koralle Lingonberry	Bright Red	September-October	Self-fertile	German variety
Lingonberry	Bright Red	September-October	Self-fertile	