CHRISTIANSON'S NURSERY

2024 FRUIT TREE & BERRY LIST

(bareroot & potted)

Name	Color	Ripening Time	Attributes	Noteworthy Info		
*Please note that this list does not reflect quantity. Please call the store for current availability. 360-466-3821						
Apples	Color	Ripening Time	Attributes	Notes		
Akane	Red	Early September	Scab Resistant	Sweet and Tart		
Ashmead Kernal	Brown russet	Early-Mid October	Cider apple	2 gallon only		
Amere De Berthcourt	Gree/white	October	Cider			
Beni Shogun Fuji	Red	Mid-Late September	Early Fuji Apple	Crisp, juicy very sweet		
Bramley's Seedling	Green and red	Early October	Triploid, English cooking apple, scab resistant	potted only		
Centenial	Small red	Crabapple	Great pollinator!			
Chehalis	Sweet yellow	Mid August	Scab Resistant	Excellent pollinator		
Cosmic Crisp	Red	Mid-Late September	Scab Resistant	Keeps well		
Cox's Orange Pippin	Red w/ Orange Flush	Mid September	pear, melon, orange flavors!	Keeps well		
Dolgo	Crimson Red	September	Crab, 11/2" long, very disease resistant	Siberian variety of Crabapple, great pollinator		
Early Pink Lady (Maslin)	Yellow w/ Pink Blush	Late September	Tart/Sweet	Ripens 3-4 weeks earlier		
Fameuse	Orange Red Streaked	Mid-Late September	Bright white flesh, Antique			

Golden Sentinel	Yellow	Early-Mid October	Columnar	
Gravenstein	Red and Green	Early-Mid October	Triploid, Antique	Vigorous
Honeycrisp	Red	Early-Mid October	Scab Resistant	
Hudson's Golden Gem	Yellowish Brown Russet	Mid September	Scab Resistant, Antique	M-111
Jonagold	Yellow Green w/ Red Stripes	Mid September - Late October	Triploid	Vigorous
King	Red Stripe	Early-Mid October	Triploid, Antique	Vigorous
Liberty	Dark Red	Early-Mid October	Scab resistant. McIntosh Type	
Lucy Rose	Deep red skinand flesh	October	Tart	New!
Macoun	Dark Purple Red Blush over Green	Late September- Early October	McIntosh type	Best for fresh eating, limited
Melrose	Red/yellow	Early September to Mid-Late October	Red Flesh, pink blooms	Keeps well
Northpole	Red	Mid-Late September	Columnar	
Pink Lady	Pink/Red/Yell ow/Green	Late September	AKA Cripp's Pink	Keeps well, fresh eating and cooking
Pink Pearl	Yellow	Late September	Bright pink flesh	
Red Gravenstein	Red yellow stripes	Early September	Sweeter than Gravenstein Triploid	Good for baking, cooking
Red Jonagold	Red	Early-Mid October	Triploid	Vigorous
Rosey Glow	Bright Red	Mid-August	Fresh eating, cooking	Pink Lady type
Scarlet Sentinel	Greenish Yellow	Mid-Late September	Columnar	Disease resistant

Spartan	Dark Red	Mid October	Scab resistant, McIntosh Type	
Spitzenburg	Yellow/Blush Red	Mid-Late October		Classic American variety, Fresh Eating, Keeps well, M-111
Sunrise	Red	Mid September		Keeps well
Summerred	Red	Early August	Macintosh type	
Sunrise Magic	Red	Mid October	NEW!	
Tasty Red	Bright Red	September	Columnar	Urban series
Whitney	Yellow/Red	September	Crab. Scab Resistant	Best eating crabapple
Williams Pride	Red	Early August	Scab resistant	Sweet, rich, spicy flavor.
White Icicle	yellow		Columnar	1 gallon only
Yellow Transparent	Yellow	Early August	Scab resistant, Antique	

Key: SD=Semi Dwarf, D=Dwarf, MD=Mini-dwarf, BR=Bare Root, P=Potted (Trees and pricing are for SD, unless otherwise indicated.)

Triploid: Does not pollinate other trees

Almond		Ripening Time	Attributes	Notes
Nitika's Pride	Soft shell	September	Very late blooming	needs pollinator, 1g only
PrimaVera	Soft shell	September	Very late blooming	needs pollinator, 1g only
Seaside	Soft shell	September		needs pollinator, 1g only
Apricots	Color	Ripening Time	Attributes	Notes
Harcot	Yellow-Orang e	July - August	Self fertile Resistance to perennial canker and brown rot,	Freestone
Harglow	Deep orange w/ red blush	August	Self fertile. Resistance to perennial	Freestone

			canker and brown rot.	
Puget Gold	Orange	Early August	Self fertile	Freestone

Apriums	Color	Ripening Time	Attributes	Notes
Flavor Delight	Bright Yellow	Mid-July	Self fertile, does better with "friends"	Semi-freestone
Aronia Berries (Black Chokeberries)	Color	Ripening Time	Attributes	Notes
Autumn Magic	Black	September	Self-fertile.	Great Fall color for landscape plantings
Dwarf	Black	September		About 3' high
Iroquois Beauty	Black	September		2-3' high 4-5' wide
Nero	Black	September	Fall color	3-4' x 3-4'
Viking	Black	Late-August - Mid-Septem ber	Self-fertile	3-6' x 3-6'

Autumn Olives	Color	Ripening Time	Attributes	Notes
Amber	Golden Yellow	September	Self fertile	Disease/pest resistant
Garnet	Reddish Bronze	Late-Septem ber	Self fertile	Disease/pest resistant
Ruby	Brilliant Red	Late-Septem ber	Self fertile	Disease/pest resistant
Blackberries	Color	Ripening Time	Attributes	Notes
Baby Cakes	Black		Thornless, Dwarf	Bushel & Berry, Perfect for patio pots

Black Satin	Deep Blue	July	Thornless	Doesn't produce suckers
Boysenberry	Dark Maroon	July and September	Thornless	
Chester	Black	Late Summer	Thornless	
Marionberry	Black	June - July		Cross between Chehalem and Ollalie
Loganberry	Dark Red	Mid-July - Mid-August	Thornless	
Triple Crown	Black	August	Thornless	

Blueberries	Color	Ripening Time	Attributes	Notes: Most Blueberries grow to be 4'-5'
Berkeley	Dusty Blue	July - August	Highbush Blueberry	6'x6' yellow stem
Blueberry Glaze	Deep Blue almost black	July	Lowbush, High in antioxidants	Bushel & Berry
Aurora	Blue	August	Compact	4'
Bluecrop	Blue	July - August	Highbush Blueberry	Most popular
Bluegold	Blue	Late-June - Early-July	Highbush Blueberry	4-6'
Bluejay	Blue	July	Northern Highbush	4-6'
Blueray	Blue	July	Northern Highbush	4-6'
Bonus	Blue	July-August	Northern Highbush	Very large berries
Bluetta	Light Blue	June	Northern Highbush	3-5', very high in anti-oxidants
Bountiful Blue	Blue	September	Southern Highbush Blueberry	Bushel & Berry, Semi-Evergreen in mild climates, Blue foliage
Brunswick	Sky Blue	July	Lowbush	Semi-Evergreen in mild climates. Great Fall color foliage.

Burlington	Light Blue	July	Highbush Blueberry	5'
Cabernet Splash	Blue	June - July	3-4' x 3-4'	Foliage interest througout season
Chandler	Blue	September	Highbush Blueberry, Largest Berry	
Chippewa	Light Blue	July	Lowbush	
Collins	Light Blue	July - August	Highbush Blueberry	
Darrow	Blue	September	Northern Highbush, Largest Berry	
Dixie	Blue	July - August	Highbush Blueberry	
Draper	Blue	July	Highbush Blueberry	
Duke	Light Blue	Late- May	Northern Highbush	
Earliblue	Light Blue	June-July	Northern Highbush	
Eberhardt	Blue	Late-July	Northern Highbush	
Elliott	Blue	July-August	Highbush Blueberry	
Katherine	Blue	July-Augus		
Jelly Bean	Blue	July-Augus	Bushel and Berry	Grows well in containers
Herbert	Blue	July		Large fruit!
Hardiblue	Blue	July	Northern Highbush	
Ivanhoe	Blue	June - August	Highbush Blueberry	
Jelly Bean	Blue	July - August	Half-High	Bushel & Berry
Jersey	Blue	July - August	Northern Highbush	
Jewel	Blue	July	Southern Highbush	
Jubilee	Powder Blue	June	Southern Highbush	

Liberty	Sky Blue	July - August	Highbush Blueberry	
Mini Blue	Vibrant Blue	July	Northern Highbush	
Misty	Sky Blue	June	Southern Highbush	
Jubilee	Blue	July		
Legacy	Blue	June/July		
Liberty	Dark BLue	August		
Midnight Cascade	Dark Blue	July		
Misty	Blue	Early July		
Nelson	Medium Blue	July	Northern Highbush	
Nocturne	Dark Black	Mid-July	Hybrid	
Northblue	Dark Blue	July	Half-High	
Northcountry	Blue	July	Half-High	
Nocturne	Dark Blue	Mid-July	Hybrid	
Northblue	Dark Blue	July	Half-High	
North Country	Blue	July	Half-High	
Northsky				
Northland	Medium Blue	June-July	Northern Highbush	
Northsky	Sky Blue	July	Half-High	
O'neal	Blue	June	Southern Highbush	
O'Neal	Blue	June	Southern Highbush	
Olympia	Medium Blue	Late July	Northern Highbush	
Patriot	Medium Blue	June- July	Northern Highbush	
Peach Sorbet	Blue	Mid-July	Lowbush	Bushel & Berry
Perpetua	Blue	Early-July to October	Highbush, Evergreen	Bushel & Berry
Pink Icing	Blue	Mid July	Lowbush	Bushel & Berry
Perpetua	Blue	July		Bushel & Berry
Peach Sorbet	Blue	Early and Late		Produces two crops!
Pink Lemonade	Bright Pink	July-August	Pink Berry	

Pink Popcorn	Cream Pink to Pink	June-July	Pink Berry, Northern Highbush	
Polaris	Light Blue	June-July	Lowbush	
Razz	Periwinkle Blue	Early-Mid-Ju ly	Northern Highbush	
Reka	Dark Blue	July	Northern Highbush	
Sierra	Blue	June - July	Northern Highbush	Very Large Berries
Southmoon	Sky Blue	July-August	Southern Highbush	
Pink Popcorn	Cream Pink to Pink	June-July	Northern Highbush	
Pink Icing				
Polaris				
Saphire Cascade				
Spartan	Light Blue	June - July	Northern Highbush	
Silver Dollar				
Sierra				
Stanley	Medium Blue	July-August	Heirloom Highbush	
Sunrise	Medium Blue	June - July	Northern Highbush	
Star				
Sunshine Blue	Blue	June - July	Southern Highbush	Bushel and Berry
Sweetheart	Blue	Early June & August	Highbush	Two crops
Tophat	Light Blue	June - July	Lowbush	
Sweetheart	Blue	Early June & August	Highbush	
Tophat	Light Blue	June - July	Lowbush	
Toro	Light Blue	July	Northern Highbush	Large Berries
Washington				

^{*}Please note that this list does not reflect quantity. Please call the store for current availability. 360-466-3821

Cherries (Sweet)	Color	Ripening Time	Attributes	Notes
Angela	Black	Mid-July	Self Fertile, resists cracking	Sweet
Bing	Black	Early-July	Pollinators: Rainier, Stella, Montmorency	Sweet
Black Gold	Deep Red	Mid-June	Self Fertile	Sweet
Crimson Passion	Dark Red	Late July	Self-Fertile/Ow n Rootstock	Pie
Glacier	Dark Red	Mid-June	Self Fertile	Sweet
Lapins	Red	Late-July	Self Fertile	Sweet
Rainier	Yellow w/ Red Blush	Late-May Early-June	Pollinators: Bing, Stella, Montmorency	Sweet
Stella	Reddish Black	Mid-June	Self Fertile, resists splitting	Sweet
Sweetheart	Bright Red	Late-July	Self Fertile	Sweet
Vandelay	Black	July	Self Fertile, resists cracking and canker	Pie
Carmine Jewel	Dark Red	July		Pie
Montmorency	Bright Red	Mid-Late July	Self Fertile but will not pollinate sweet cherries	Pie
Morello	Deep Crimson Red	August	Self Fertile	Pie
North Star	Red	Mid-June	Self Fertile	Pie
Surefire	Fire Engine Red	August	Self Fertile	Pie
Juliet	Deep Red	August	Self Fertile	Bush
Romeo	Crimson Red	August	Self Fertile	Bush
Key: SD=Semi Dwarf, D=Dwarf for SD, unless otherwise inc	•	arf, BR=Bare Ro	oot, P=Potted (Tree	es and pricing are

Combination Fruit Trees	Color	Ripening Time	Attributes	Notes
Apple 1			4-way	Sunrise, Honeycrisp, Gravenstein, Cosmic Crisp, Chehalis
Apple 2			4-way	Spartan, Honeycrisp, Chehalis, Akane, Liberty
Cherry			4-way	Royal Ann, Stella, Rainier, Van, Bing, Glacier
Fruit Cocktail			4-way	Italian Prune Plum, Lapin, Stella, Hardy Red, Frost Peach
Fruit Salad			4-way	Frost Peach, Nadia Plum, Green Gage Plum, Hardy Red Nectarine
Pear (Asian)			4-way	Kosui, Shinseiki, Chojuro, Nijisseiki, Shinko
Pear (European)			4-way	Bosc, Rescue, Bartlett, Red Bartlett, Anjou, Flemish Beauty
Plum (European)			4-way	Brooks, Yellow Egg, Stanley, Green Gage, Italian, Seneca

Key: SD=Semi Dwarf, D=Dwarf, MD=Mini-dwarf, BR=Bare Root, P=Potted (Trees and pricing are for SD, unless otherwise indicated.)

Currants	Color	Ripening Time	Attributes	Notes
Ben Lomond	Black	Mid July		partially self-fertile, plant with another

				black currant for
				higher production
Black Topaz	Black	July		
Blanka	White	July	Slovakian variety	
Champagne	Pink	Late September	Less Tart	
Cherry Red	Red	July	Pest/Disease Resistant	
Consort	Black	June-July	Tolerates shade	
Crandall	Black	August	Fragrant Flowers	Also called "Clove Currant"
Gloire Des Sablons	Pink	July		
Golden Flowering Currant	Black	June-July	Yellow edible flowers	Deep purple fall leaf color
Honeywood	Red	July		Great, fresh or preserves
Josta Currant/Gooseberry	Black	July		
Lentaj	Black	July		
Missouri Giant	Black	October		
Pamona	Red	December		
Red Jade	Red	July		
Red Lake	Red	Mid July		
Rovada	Red	Mid July		Dutch variety
Red Jostaberry Currant/Gooseberry	Dark Red	July	Most vigorous variety	
Swedish Black	Black			
Swedish White	White	Mid July		
Wilder	Red	July		
White Imperial	White	June-July		
White Transparent	White	July	Pest/Disease Resistant	

Elderberries	Color	Ripening Time	Attributes	Notes
Haschberg	Bluish Black	September	European	
Korsor	Dark Blue to Black	September	European	
Nova	Dark Purple to Black	August-Sept ember	American	
Ranch	Dark Purple to Black	September	American	
Sambuco		September		abundant crops of very flavorful, sweet and juicy, jet-black berries
York	Dark Purple to Black	September	American	

Espalier Fruit Trees	Color	Ripening Time	Attributes	Notes
Apple-combo	Varies		3-way	BR - Cosmic Crisp, Honeycrisp, Sunrise Magic, etc.
Cosmic Crisp Apple	Red	Mid-Late September	Apple, Scab Resistant	Keeps well, very crisp!
Honeycrisp	Red and Green	Early-Mid October		
Cherry Combo				Bing, Rainier, Van, Royal Anne, Lapin, Glacier
Pear-combo			European Pear	3-Tier - Barlett, Bosc, Red Clapp's
Pear-combo			Asian Pear	3-Tier - Nijisseiki, Chojuro, Shinseiki
Nijiseikki	Russeted Golden Brown	August	3 tiers/fruit bearing age	AKA 20th Century/Asian

Shinseiki	Bright Yellow	 3 tiers/fruit bearing age	AKA New Century

Figs	Color	Ripening Time	Attributes	Notes
Black Jack	Purple w/Strawberry red flesh	July-Septem ber	Semi-dwarf	Potted only
Black Spanish				Potted only
Brown Turkey				Potted only
Chicago Hardy	Dark Mahogany w/pink flesh	July through Frost		Potted only
Desert King	Green/Yellow w/light strowberry flesh	Late July-Early August		Most productive
Lattarula	Greenish yellow w/ amber flesh	July and September		AKA Italian Honey Fig
Little Miss Figgy	Dark purple w/strawberry flesh	Late July-Early August		Dwarf 4-6'
Little Ruby	Reddish brown w/ruby center	Late July-Early October		Potted only
Negronne	Nearly black w/ dark red flesh	Late July-Early August		Good for containers AKA Violette du Bordeaux
Neverella	Brown w/opalescent flesh	Late July-Early August		AKA Osborne Prolific

Olympian	Green/purple striped w/violet flesh	July and September		Needs at least 8 hours of sun
Panache	Green and yellow stripes w/strawberry flesh	August-Sept ember	"Tiger Fig"	Potted only
Peter's Honey	Yellow green w/dark amber flesh	Late July-Early August		Potted only
Petite Negra	Black w/deep red flesh	Late July-Early August	Dwarf 3-4' tall	Potted only
Stella	Green w/purplish red flesh	Late July-Early August		Potted only
Vern's Brown Turkey	Dark brown w/light amber flesh	Late July-Early August		Potted only
Violette de Bordeaux	Purple/black w/strawberry flesh	August-frost	Good for containers or small spaces	Fresh eating, dried, preserves

Goji Berries	Color	Ripening Time	Attributes	Notes
Crimson Star	Bright Red	August to October	self-fertile	Chinese variety
Red Empress	Dark red	Mid-summer to late fall	self-fertile	Chinese variety, large fruit for eating fresh

Gooseberries	Color	Ripening Time	Attributes	Notes
John's Prairie	Black	July		
Hinnomaki Red Gooseberry	Red	July		Finland variety
Friend Gooseberry				
Hinnomaki Yellow Gooseberry	Yellow	July		

Selby				
Welcome Gooseberry	Red	July		Nearly thornless
*Please note that this l availability. 360-466-38		ect quantity.	Please call the	store for current
Goumis	Color	Ripening Time	Attributes	Notes
Viking	Red	July		
Red Gem	Red	July		
Sweet Scarlet	Red	July		
Grapes	Color	Ripening Time	Attributes	Notes
Boskoop Glory	Black	August-Sept ember	Seedless	
Campbell's Early Blue	Blue/Black	August	Seeded	Concord type
Canadice	Red	Mid-August	Seedless	
Crimson Glory Vine	Blue/Black	September	Seeded/Non-E dible/EXCELLE NT Fall Color	Ornamental-Fruit is not meant to be eaten
Einset	Dark Red	September	Seedless	
Himrod White	Yellow	Early to mid Sep	Seedless	
Interlaken	Green	September	Seedless	
Jupiter	Reddish Blue	August	Seedless	
Lynden Blue	Dark Blue	Early October	Seeded	
Neptune	Green/White	Early September	Seedless	
Reliance	Red	August	Seedless	
Siegerrebe	Red	Late September	Seeded	White wine/fresh eating grape
Suffolk Red	Bright Red	Mid to late September	Seedless	
Vanessa Red	Deep Red	Mid Sep to Oct	Seedless	

^{*}Please note that this list does not reflect quantity. Please call the store for current availability. 360-466-3821

Honeyberries	Color	Ripening Time	Attributes	Notes
Berry Blue	Blue	June	Early blooming	Good pollinizer for other honeyberry varieties
Blue Moon	Dark Blue	June		3-4' x 3-4'
Blue Pacific	Dark Blue	June		2-3'
Blue Pagoda	Dark Blue	June		2-3' x 2-3'
Blue Sea	Dark Blue	June	Late blooming	4-5'
Blue Velvet	Medium Blue	June		4-5' x 4-5'
Honey Bee	Blue	May-June		Pollinates Borealis, etc. 4-6' x 3-5'
Tundra	Blue	Late May-Early June		4-6' x 4-6'

Kiwis	Color	Ripening Time	Attributes	Notes
Ananasnaya	Green	September - October	Female/Hardy	AKA Pineapple Kiwi
Hardy Red	Cranberry Red w/ red flesh	September - October	Female/Hardy	Requires male pollinator
Hayward	Brown/Green	October-Ear ly November	Female/Fuzzy	New Zealand variety
Issai	Green	September - October	Self Fertile/Hardy	Will produce better with Flowercloud Male Kiwi
Jenny	Brown/Green	Late Summer, Early Fall	Female/Fuzzy Self Fertile	
Ken's Red	Reddish/Pur ple	September - October	Female/Hardy	Requires male pollinator
MALE Fuzzy	n/a	n/a	Male/Fuzzy	pollinates up to 8 females

MALE Hardy	n/a	n/a	Male/Hardy	pollinates up to 8 females
Matua	n/a	n/a	Male/Fuzzy	Pollinates Saanichton
Pasha	N/A	N/A	Male/Hardy	Pink and white variegated leaves
Prolific	Green	September - October	Self Fertile/Hardy	Will produce better with Male Kiwi
Sweet N Solo	Brown/Green	Fall	Self Fertile/Fuzzy	
September Sun	Brown/Green	October-Ear ly November	Female/Fuzzy Self Fertile	Requires male pollinator
Tomuri/Tomura	n/a	n/a	Male/Fuzzy	Can pollinate up to 8 female plants

Nectorines	Color	Ripening Time	Attributes	Notes
Hardy Red	Yellow with red blush	Early August		Great for the PNW
Harko	Yellow with red blush	Early July	Self-fertile	Canadian variety
Nectar Babe	Yellow	July	Yellow freestone with sweet, rich, delicious flavor.	Pollenized by Honey Babe or other peach or nectarine. Miniature
Necta Zee	Red	June	Sweet, very flavorful yellow freestone, beautiful red skin.	Miniature
Pacific Pride				

Nectoplums	Color	Ripening Time	Attributes	Notes
Spice Zee	Pale Pink	July-August	Self-fertile, good fresh eating	Nectarine-Peach-P lum hybrid, Miniature

*Please note that this list does not reflect quantity. Please call the store for curren	
availability. 360-466-3821	

Nuts	Color	Ripening Time	Attributes	Notes
Nikita's Pride Almond	Brown	September	Very late blooming	Lovell rootstock
PrimaVera Almond	Brown	August/Sept ember	Soft shelled	Earliest ripening
Seaside Almond	Brown	September	Very late blooming	Plant with Nikita's Pride, Oracle or Bounty
Epsilon Filbert	Brown	September	Eastern Filbert Blight resistant cultivar	Plant with Eta or Theta for cross-pollination. Incompatible pollenizer for Barcelona, Ennis, and Willamette, but great for all other varieties. Bearing Age: 2-3 years after planting.
Jefferson Filbert	Brown	September	Eastern Filbert Blight resistant cultivar	Plant with Theta or Eta for cross-pollination.
McDonald Filbert	Brown	September	Cross pollinate with York or Yamhill	high nut meat-to-shell ratio
Sacajawea Filbert	Brown	September	Somewhat less resistant to Eastern Filbert Blight.	Plant with Yamhill for pollination.
Yamhill Filbert	Brown	September	Total resistance to Eastern Filbert Blight	Plant with Jefferson or Gamma for cross-pollination.
Black Walnut	Green	Late-Septem ber Early-Octob er		

Buartnut Walnut	Green	September	Cross of Butternut and Heartnut, easy to crack shell	Plant two together or one Buartnut and one Heartnut for pollination
Carpathian Walnut	Green	October	English walnut	Plant two together or one Carpathian with another walnut for pollination
Cascade Walnut	Green	Mid October	English walnut	
Manregion Walnut	Green	October	English walnut, easy to crack shell	Plant with Carpathian for pollination
Chinese Chestnut	Golden brown/spiny	October	Straight genus and species-no variety	Plant two for pollination
Colossal Seedling Chestnut	Golden brown/spiny	Late September	Hybrid Japanese and European Chestnut	Plant two for pollination

Olives	Color	Ripening Time	Attributes	Notes
Arbequina	Dark Brown	October	Self-fertile; bigger crop with another variety	Spanish variety/35-40' x 25'
Black Pearl	Black	October-No vember	Good pollinator-Fran toio	Smaller pits, Spanish variety/15-20'x10-15'
Harvest Joy	Green	October-No vember	Plant with another variety	Ukrainian variety/8-10'
Leccino	Brown	October	Good pollinator-Arbe quina	Italian variety, semi-weeping form/12-15'
Little Ollie	n/a	n/a	Dwarf, ornamental	NON-FRUITING/4- 6'x4-6'/AKA Montra
Majestic Beauty	n/a	n/a	Ornamental only	NON-FRUITING/25 -30'x25'

Green to Black	October-No vember	Good pollinator-Fran toio	8-10'
Green to Black	October	Plant with another variety	10-20'
Green to Black	October	Plant with another variety	Ukrainian variety/10-20'
Green to Black	October-No vember	Plant with another variety	Ukrainian variety/8-10'
Green to Black	October-No vember	Plant with another variety	Ukrainian variety/8-10'
Green to Black	October-No vember	Plant with another variety	Ukrainian variety/12-15'
	eflect quantity.	Please call the	store for current
	Black Green to Black	Black vember Green to October Black Green to October Black Green to October-No Black vember Green to October-No Black vember Green to October-No Black vember Green to October-No vember Green to October-No vember	Black vember pollinator-Frantoio Green to Black Plant with another variety Green to Black Plant with another variety Green to October-No Black Plant with another variety Green to October-No Plant with another variety

PawPaws	Color	Ripening Time	Attributes	Notes
KSU Atwood			Round fruit, ripening in September	heavily productive, early-ripening
Mango	Greenish yellow w/orange yellow flesh	September- October	Slow growing, long tropical looking foliage	Plant two varieties for pollination
Sunflower	Greenish yellow w/orange yellow flesh	September- October		Plant two varieties for pollination
Shenandoah	Green/yellow flesh	September- October	fruit ripens in mid season	Prefer afternoon shade
Susquehanna	Green/yellow flesh	September- October		
Tollgate	Green/yellow flesh	September- October	Early flowering and ripe fruit in October	banana-like sweet taste

Peaches	Color	Ripening Time	Attributes	Notes
---------	-------	------------------	------------	-------

Bonanza	Yellow w/red blush, yellow flesh	June	Dwarf (Miniature)	Freestone
Charlotte	Orange red	Mid to late August		Semi-freestone
Eldorado	Yellow w/red blush, yellow flesh	Late May to mid June	Dwarf (Miniature)	Freestone
Flory	Yellow w/red blush, white flesh	Mid to Late July	Self-Fertile/Min iature	
Frost	Yellow w/red blush, yellow flesh	Mid to late August	Self-fertile	Freestone
Honey Babe	Yellow	Early to mid July	Dwarf (Miniature)	Better production with pollenizer, freestone
Indian Free	White	August to September	Curl Resistant	
Muir	Yellow	July to August	Curl Resistant	
Pixzee				
Salish Summer (WSU Q-1-8)	White Flesh	Late July to Early August	Curl Resistant	Dwarf
Snow Babe	Yellow w/red blush, white flesh	Late July to Early August		New for 2020-2021

availability. 360-466-3821

Pears (Asian)	Color	Ripening Time	Attributes	Notes
Ari Rang				
Chojuro	Russeted Golden Brown	August	Plant with Hosui, Shinko	Asian
Hosui	Russeted Brownish Orange	August	Plant with Shinko, Chojuro,	Asian

			Bartlett or 20th Century (Nijisseiki)	
Kosui	Russeted slight bronze	Mid July-Early August	Resistant to fire blight/plant with another asian variety	Asian
Maxie	Red and yellow	Mid September	Cross between Nijisseiki and Red Bartlett	Eurasian
Nijisseiki	Russeted Golden Brown	August	Plant with Shinseiki, Bartlett, etc.	Asian/AKA 20th Century
Reddy Robin	Red	August	Plant with Shinseiki, Bartlett, etc.	Asian
Shinglo	yellow-bronz e, russeted skin	August	Plant with Shinseiki, Bartlett, etc.	Asian
Shinko	Golden Brown	Late September	Plant with another asian variety	Asian
Shinseiki	Bright yellow	July to August	Plant with another asian variety	Asian/AKA New Century
Reddy Robin	Red/Orange	September	Frequently called a "Papple"	Eurasian
Shinko	Golden Brown	Late September	plant with any other Adain variety	Asain
Shinseiki	Bright yellow	July to August	plant with any other Adain variety	Asian/AKA 20th Century
Ya-Li	Yellow	August	plant with any other Adain variety	heirloom cultivar from China
Pears (European)				
Anjou	Dark Maroon	Late September	AKA D'anjou	European/Egg shaped
Bartlett	Russeted Green	August	AKA Williams	European

Bosc	Russeted Dark Yellow	Late September	Fresh eating, baking or drying AKA Kaiser	European
Clapp's Favorite	Yellow w/trace of red	Early October		European
Conference	Golden Brown	Early October		European
Flemish Beauty	Yellow skin w/Red Blush	Early September		European
Harrow Delight	Yellow w/red blush	July-August	Fireblight and scab resistant	European/OHxF 333
Orcas	Yellow w/ Carmine Blush	Early September	Great for canning, drying, eating fresh	European
Red Bartlett	Red			European
Rescue	Yellow w/ Bright Red-Orange Blush	September	Scab resistant. Good keeper.	European

Persimmons	Color	Ripening Time	Attributes	Notes
Chocolate	Orange skin, but ripe flesh turns brown	October	sweet, spicy/nutty	Produces many male flowers, which makes it valuable as a pollinizer
Coffe Cake	Orange	September/ October	rich flavor and brown flesh color when ripe.	It is a non-astringent pollination variant which means when pollinized it develops its rich and sweet flavor best
Early Jiro	Bright Orange	October	Round/flattene d	Non-astringent, AKA Ichi Ki Kei Jiro

Fuyu Imoto	Bright Orange	October-No vember	Square/flatten ed	Non-astringent
Fuyu Jiro	Deep Red-Orange	October-No vember	Medium/flatte ned	Non-astringent
Giant Fuyu	Bright Orange	October-No vember	Larger/rounde r	Non-astringent
Saijo	Bright Orange	September- October	Conical	Astringent

Plums (European)	Color	Ripening Time	Attributes	Notes
Blue Damson	Blue	September	Fresh eating, jams, jelly, prunes; more tart than sweet	European/plant with another European for pollination
Brooks	Dark Purple	September	Fresh eating, preserves, canning or drying	European
Green Gage	Yellowish Green	August	Fresh eating, baking, preserves, canning	European
Italian	Purple	August-Sept ember	Fresh eating, dried, canned	European/freesto ne
Nadia Cherry/Plum	Dark Red	August-Sept ember	Fresh eating, baking, preserves	European/pollinat e with Beauty, Methley, Hollywood
Sprite Cherry/Plum				
Stanley	Deep Purple	Early September	Fresh eating, dried, canned	European; also a prune/plum
Seneca	Bluish Red	September	Fresh eating, preserves; resists cracking and brown rot	European
Sugar Plum				

Yellow Egg	Golden Yellow	August	Cooking/fresh eating when fully ripe	European
Plums				
(Japanese)				
Beauty	Red over yellow	June-August	Fresh eating, cooking	Japanese
Delight	Reddish Black	early August	Fresh eating	Japanese; cross between cherry plum and dessert plum
Hollywood	Dark Red	August	Jellies and canning	Japanese; pollinate with another Japanese
Methley	Red-Purple	May-Early July	Fresh eating or jelly	Japanese
Satsuma	Dark Red	Late July-early August	Excellent for jams	Japanese
Shiro	Bright Yellow	August	Fresh eating, jams, wine	Japanese/Partiall y self-fertile
Sprite Cherry/Plum	Purple-Black	July-August	Fresh eating, canning, cooking, freezing	Japanese plum crossed with sweet cherry
Superior	Red Blushed	August-Sept ember	Fresh eating/Dessert Plum	Japanese + American
Weeping Santa Rosa	Dark Red	Late July-August	Fresh eating, baking, preserves	Japanese

Cherry/Pluots	Color	Ripening Time	Attributes	Notes
Dapple Dandy (Pluot)	Yellowish w/ red mottling	July-August	Fresh eating	AKA Dinosaur Egg
Flavor Supreme (Plum/Cherry)	Greenish-mar oon mottled	June-July	Fresh eating	
Candy Heart (Plu-erry)	Red	Mid-August	Fresh eating, very sweet	pollinate with Japanese

Flavor Punch (Plum/cherry)	Orange-Red	August/Sept ember	Fresh eating, very Sweet	pollinate with Japanese
Sweet Treat (Plu-erry)	Purple/yellow	July	sweetness of a cherry, combined with that summer fresh plum	complex interspecific hybrid
Pomegranates	Color	Ripening Time	Attributes	Notes
Crimson Sky	Bright Red	July-Septem ber		Ukrainian variety
Favorite	Orange-Red	Late Fall	Pest/Disease resistant, self-fertile	Russian variety
Nana (Dwarf)	Bright Orange Red	Ornamental	Dwarf size 2-4', deer resistant,	Fruits edible yet too sour to be considered palatable
Wonderful	Red	August-Sept ember	Finest quality, largest, brightest colored	
Quinces - Fruiting	Color	Ripening Time	Attributes	Notes
Orange	Bright Yellow	September	Self-fertile	Preserves and baking
Pineapple	Bright Yellow	September- October	Self-fertile	Preserves and baking/Pineapple flavored
Smyrna	Bright Yellow	September	Self-fertile	Preserves and baking
Raspberries	Color	Ripening Time	Attributes	Notes
Amity	Dark Red	Everbearing	No staking required	Fresh eating, canning
Boyne	Reddish Pink	Mid-July	Does not need trellis	Not as sweet as others; good for lambic ale
Canby	Reddish Pink	June bearing	Heavy producer of large berries	Fresh eating, preserves, freezing

Cascade Delight	Reddish Pink	Everbearing	Most root rot resistant variety/can take boggy soils	Nearly thornless
Caroline	Bright Red	Everbearing	Does not tolerate drought	Fresh eating, preserves, freezing
Chilcotin	Bright Red	June and September	high yielding raspberry fruiting mid-season, with the main crop in summer and a secondary crop in autumn	Fresh eating, canning
Coho	Crimson red	July	high yields of late-ripening large	Fresh eating
Fall Gold	Pale Yellow	Everbearing		Fresh eating, baking, preserves
Heritage	Dark Red	Everbearing	No staking required	Fresh eating, canning, freezing
Jewel	Black	Early July	Black Cap variety	Fresh eating, baking, preserves
Latham	Bright Red	June bearing		Fresh eating, freezing, canning
Meeker	Dark Red	Mid-July	Do not require staking	Fresh eating, juicing, canning, freezing
Munger	Black	August	Black Cap variety	Fresh eating, jams, jellies
Raspberry Shortcake	Light Red	June-July	Thornless/no staking required/great for containers	Bushel & Berry
Tulameen	Vivid Red	Junebearing	25% bigger than Meeker	Fresh eating, freezing, preserves
Willamette	Dark Red	Junebearing	Extremely large fruits; very juicy	Fresh eating, freezing

Seaberries/Sea Buckthorns	Color	Ripening Time	Attributes	Notes
Botanica	Deep Orange	Late August	Female	Good for juicing
Hergo	Light Orange	Late August-Early September	Female	Juicing, preserves
Leikora	Bright Orange	Late August-Early September	Female	Juicing, preserves
MALE Seaberry	n/a	n/a	Does not produce fruit	Pollinates up to 8 females
Orange Glow	Bright Orange	Mid-August	Female	
Pollmix	N/A	N/A	Male	Pollinates up to 8 females
Titan	Bright Orange	Late July-Early August	Female	

Strawberries	Color	Ripening Time	Attributes	Notes
Albion	Red	August-Sept ember		Everbearing
Benton	Red	June		Junebearing
Florida Beauty	Red	Everbearing		Everbearing
Hood	Red	June		Junebearing
Mary's Peak	Red	June		Junebearing
Puget Crimson	Red	June		Junebearing
Rainier	Red	June		Junebearing
Seascape	Red	June-Octob er		Everbearing
Shuksan	Red	June		Junebearing
Sweet Surise	Red	July		Junebearing
Tillamook	Red	August		Junebearing
Totem	Red			
Unusual Fruits	Color	Ripening Time	Attributes	Notes

Li Jujube	Mahogany Brown	February	Partially self-fertile; plant with another variety for pollination	Very large fruit, very small seed
Baby Shipova	Yellow-Orang e	October	Self-fertile	10'-15'
Shipova Mt. Ash	Yellow-Orang e	August-Sept ember	Self-fertile	Hybrid of Mountain Ash and Pear/Fresh eating, preserves, jam, pastry, wine
Royal Medlar	Dark, Nut Brown	Mid-Late October	Self-fertile	
Passionflower Bluepop				
Passionflower Maypop	Greenish Yellow	Late Fall	Self-fertile	Very hardy Z4-10
Pineapple Guava	Green	October	Self-fertile	
Contorted White Mulberry	White	July-Septem ber	Self-fertile	
Early Bird Mulberry				
Illinois Everbearing Mulberry	Reddish Black	Late June-Septe mber	Self-fertile	Cross between alba and rubra
Pakistan Mulberry	Reddish Black	July-Septem ber	Self-fertile	Largest mulberry fruit in the world
Persian Mulberry	Reddish Black			
Weeping Mulberry	Reddish Black	June-July	Self-fertile	
White Ivory Mulberry	White	July-Septem ber	Self-fertile	Fresh eating, drying
White Mulberry	Pink-red turning purple-black	July-August	Self-fertile	
Eastern Prince Schisandra	Crimson	September	Self-fertile	Juicing, preserves, tea
Chilean Guava	Red	October	Self-fertile	Fresh eating, jams, jellies
Spineless Caper	Green	July	Self-fertile	Thornless

Korean Tea Seedling (Camellia sinensis)	Green	Blooms - Sep-Nov	Wait 1-2 years before harvest	8-10'x8-10'
Vaccinium Berries	Color	Ripening Time	Attributes	Notes
Himalayan Whortleberry	Dark Blue	July	Self-fertile	
Koralle Lingonberry	Bright Red	September- October	Self-fertile	German variety
Red Gem				
Lingonberry	Bright Red	September- October	Self-fertile	